



TRUCK CATALOGUE

2025

IVECO

OIL FILTER CAP WRENCH

Application: VOLVO, IVECO, RENAULT, SCANIA



CODE	Ø/mm inner	Points	□	€/PZ
FG 500/FO135-15	135	15	1/2"	90,00

HEXAGONAL HUB NUT WRENCH

Application: Iveco - Cargo HA '98



CODE	Ø/mm inner	Ø/mm outer	□	H/mm	€/PZ
FG 500/A90	90	117	3/4"	68	148,00

HEXAGONAL AXLE NUT SOCKET WRENCH

Application: Iveco Euro Cargo, etc.



CODE	Size mm	Ø/mm outer	●/mm	H/mm	€/PZ
FG 500/A98	98	122	36	117	190,50

AXLE NUT SOCKET WRENCH

Application: Iveco - Eurotech Cursor.



CODE	Size mm	Ø/mm outer	●/mm	H/mm	€/PZ
FG 500/B105	105	134	36	118	309,00
FG 500/B110	110	134	36	118	290,00
FG 500/B115	115	139	36	118	266,00

12 PT AXLE NUT SOCKET WRENCH

Application: Iveco Daily



CODE	Size mm	Ø/mm outer	□	H/mm	€/PZ
FG 630/B65	65	88	1"	86,5	82,00

BALL JOINT SOCKET WRENCH

Application: Iveco Daily from 2003 to 2011



CODE	Ø/mm inner	Ø/mm outer	□	H/mm	€/PZ
FG 500/IV32.3	32,3	41	1/2"	36	37,50

BALL JOINT SOCKET WRENCH



CODE	Ø/mm inner	Ø/mm outer	□	€/PZ
FG 500/IV72	72	85	3/4"	98,00

12PT HUB NUT SOCKET WRENCH

Application: for various IVECO models



CODE	Size mm	Ø/mm outer	□	H/mm	€/PZ
FG 500/IV80	80	102	1"	60	118,50
FG 500/IV85	85	107,5	1"	60	122,50
FG 500/IV90	90	113	1"	60	125,00
FG 500/IV95	95	119	1"	60	142,00
FG 500/IV100	100	124	1"	60	144,50
FG 500/IV105	105	130	1"	60	159,00
FG 500/IV110	110	136	1"	60	172,50
FG 500/IV115	115	142	1"	60	185,50
FG 500/IV120	120	148	1"	60	196,50

CRANKSHAFT REAR OIL SEAL INSTALLING WRENCH

Applications: Iveco Daily III, IV, V, VI (from 2002), Fiat Ducato, Peugeot Boxer (from 2006)
Engines: Iveco and Fiat 3.0L Diesel



CODE	€/PZ
FG 500/IV-PO	156,00

CRANKSHAFT FRONT SEAL INSTALLATION TOOL

Applications: Iveco Daily III, IV, V, VI (from 2002), Fiat Ducato, Peugeot Boxer (from 2006)
Engines: 3.0L Diesel Iveco - Fiat 3.0L Diesel

NEW



CODE	Ø/mm outer	H/mm	€/PZ
FG 500/IV-PO3	79	46	110,00

CRANKSHAFT REAR SEAL INSTALLATION TOOL

Applications: Iveco Daily

NEW



CODE	Ø/mm outer	H/mm	€/PZ
FG 500/IV-PO1	111	42	145,00

CRANKSHAFT FRONT SEAL INSTALLATION TOOL

Applications: Iveco Daily

NEW



CODE	Ø/mm outer	H/mm	€/PZ
FG 500/IV-PO2	70	56	120,00

CRANKSHAFT REAR SEAL INSTALLATION TOOL

Applications: Iveco Cursor 8

NEW



CODE	Ø/mm outer	H/mm	€/PZ
FG 500/IV-PO5	145	55	256,00

CRANKSHAFT FRONT SEAL INSTALLATION TOOL

Applications: Iveco Cursor 8

NEW



CODE	Ø/mm outer	H/mm	€/PZ
FG 500/IV-PO6	130	83	238,00

CRANKSHAFT FRONT SEAL INSTALLATION TOOL

Applications: Iveco Cursor 10-13

NEW



CODE	Ø/mm outer	H/mm	€/PZ
FG 500/IV-PO7	136	103	265,00



CRANKSHAFT REAR SEAL INSTALLATION TOOL

Applications: Iveco Cursor 10-13

NEW



CODE	Ø/mm outer	H/mm	€/PZ
FG 500/IV-PO8	170	62	305,00

CRANKSHAFT FRONT SEAL INSTALLATION TOOL

Applications: Iveco Tector

NEW



CODE	Ø/mm outer	H/mm	€/PZ
FG 500/IV-PO9	105	66	170,00

CRANKSHAFT REAR SEAL INSTALLATION TOOL

Applications: Iveco Tector

NEW



CODE	Ø/mm outer	H/mm	€/PZ
FG 500/IV-PO10	160	68	270,00

ENGINE CRANKSHAFT ROTATOR

Double gear

Engine code: 8040.25.45,8060.25.45,8260,8210.42,8280,8460,190.38,190.42



CODE	€/PZ
FG 197/IV1	240,00

ENGINE CRANKSHAFT ROTATOR

DOUBLE GEAR

Engine code: 8360.46,F3A,F3B



CODE	€/PZ
FG 197/IV2	242,00

FORD

REAR HUB NUT SOCKET

19mm Male Hex drive

Application: FORD TRANSIT (FROM 2014)



CODE	€/PZ
FG 510/FO2	71,00

WISHBONE BUSHING TOOL SET

Application range: Ford Transit Mik5 & Mik6 from 2000 al to 2013



CODE	€/PZ
FG 510/WB	101,50

MERCEDES-BENZ

HEXAGONAL OIL FILTER SOCKET WRENCH

Application: Mercedes-Benz Actros, Atego, Axor, Econic



CODE	Output profile	Wrench size mm	□	€/PZ
FG 526/MB46	esagonale / hexagonal	46	3/8"	47,00

REAR AXLE GROOVE NUT SOCKET

Application: for groove nuts on low-floor buses with SF portal axle AV132 such as Mercedes-Benz Citaro Bus and other vehicles with identical axle.



CODE	Ø/mm inner	Ø/mm outer	H/mm	Ø/mm stud	L/mm stud	€/PZ
FG 520/GA1	122,7	138,8	295	123,7	6	257,00

GROOVE NUT SOCKET FOR ZF AXLES

Application: Mercedes-Benz Citaro, ZF AV 133 bus, ZF AV 133 rear bus



CODE	Ø/mm inner	Ø/mm outer	H/mm	Ø/mm stud	L/mm stud	€/PZ
FG 520/GA2	122,7	138,8	308	124	6	235,50

AXLE GROOVE NUT SOCKET ZF AXLE 132

Applications: groove nuts on Mercedes-Benz Citaro, Evo Bus with ZF rear axle 132



CODE	Ø/mm inner	Ø/mm outer	H/mm	Ø/mm stud	L/mm stud	€/PZ
FG 520/GA3	70	84	60,5	72	10,6	70,50

GROOVE NUT SOCKET WITH 6 STUDS

Application: Mercedes-Benz Sprinter Ha, etc



CODE	€/PZ
FG 520/GA4	65,50

REAR AXLE NUT WRENCH WITH 6 STUDS

Application: Mercedes-Benz e Man 10/13T, Ipoide e rimorchio NR7/4 - Omnibus 0305 G + 0405 G, etc.



CODE	Ø/mm inner	Ø/mm outer	H/mm	Ø/mm stud	L/mm stud	€/PZ
FG 520/GA5	95	115	110	101	11,5	208,50

DRIVE AXLE NUT SOCKET WITH 6 STUDS

Application range: Man, Mercedes-Benz



CODE	N. teeth	Tooth/mm	Ø/mm inner (tooth to tooth)	Ø/mm inner (side to side)	€/PZ
FG 520/GA6	6	11,5	101,7	110,7	213,50

GROOVE NUT SOCKET, 105-125MM

Application: Mercedes-Benz Actros, HL/HL8 (HYPOID), ecc.



CODE	Ø/mm inner	Ø/mm outer	H/mm	Ø/mm stud	L/mm stud	€/PZ
FG 522/C105	105	125	180	116,5	9,8	216,50

12PT AXLE NUT SOCKET WRENCH

Application: Mercedes-Benz trailer axle nut



CODE	Ø/mm inner	Ø/mm outer	H/mm	●/mm	€/PZ
FG 522/B95	95	126	157	36	277,00



12 STUDS REAR AXLE NUT SOCKET



CODE	Inner diameter mm	Teeth	□	€/PZ
FG 522/C101.5	101,5	12	3/4"	216,50

6 STUDS REAR AXLE NUT SOCKET



CODE	Ø/mm inner	Ø/mm outer	Teeth	□	€/PZ
FG 522/C91.5	91,5	99,5	6	3/4"	202,50

REAR AXLE NUT SOCKET

Application: Mercedes-Benz Ateco, Vitaro 814, Man, ecc.



CODE	/mm inner	/mm outer	Locating tube Ø/mm	H/mm	Ø/mm stud	L/mm stud	€/PZ
FG 522/C80	80	95	49	175	87	10	171,50

AXLE NUT SOCKET WRENCH



CODE	Ø/mm inner	Ø/mm outer	H/mm	●/mm	€/PZ
FG 522/A95	95	118	157	36	218,50

EXTENSION TUBE FOR THE REAR AXLE (R)

Application: right handed thread = rear axle HL2 e.g. MAN L series



CODE	Right thread	Inner diameter mm	Outer diameter mm	L/mm	●/mm	€/PZ
FG 522/TU-DX	M75X1.5L	60	78	185	41	190,50

EXTENSION TUBE FOR THE REAR AXLE (L)

Application: Left handed thread = Mercedes-Benz Atego / Vario



CODE	Left thread	Inner diameter mm	Outer diameter mm	L/mm	●/mm	€/PZ
FG 522/TU-SX	M75X1.5L	60	78	185	41	204,50

DIFFERENTIAL REAR NUT SOCKET WRENCH

Application range: MAN , Mercedes-Benz Truck



CODE	N. teeth	Tooth/mm	Ø/mm inner (tooth to tooth)	Ø/mm inner (side to side)	€/PZ
FG 522/GA7	6	8,7	113	126	270,00

HEXAGONAL FRONT HUB NUT SOCKET WRENCH

Application: Mercedes Actros



CODE	Points	Ø/mm	□	€/PZ
FG 522/A89	6	89	3/4"	153,00

CLAMP NUT SOCKET WRENCH

Application: DAF, MAN, Mercedes-Benz, KASSBOHRER E SETRA



CODE	Wrench size mm	H/mm	□	€/PZ
FG 524/MB-R56	56	53	3/4"	100,50

CLAMP NUT SOCKET WRENCH

Application: DAF, MAN, Mercedes-Benz, KASSBOHRER E SETRA



CODE	Wrench size mm	H/mm	□	€/PZ
FG 524/MB-R60	60	53	3/4"	104,00

CLAMP NUT SOCKET WRENCH

Application: SETRA e NEOPLAN



CODE	Wrench size mm	H/mm	□	€/PZ
FG 524/MB-R62	54x68	53	1/2"	103,50

DIFFERENTIAL MAIN AXLE SOCKET WRENCH

Application: BENZ 2544



CODE	Points	Ø/mm inner	Ø/mm outer	H/mm	□	€/PZ
FG 522/B68	12	68	88	58,5	3/4"	103,50

REAR AXLE OIL SEAL INSTALLER TOOL

Rings thickness: 7.5mm, 17.5mm, 20mm, 36mm
Suitable for double seals of 746.21 748.59, etc.
Applicable: Mercedes Actrox, Atego



CODE	€/PZ
FG 527/PO-MB	831,00

DIESEL INJECTION VALVE SOCKET WRENCH

Application: MAN 422/403, Mercedes-Benz, SCANIA



CODE	Ø/mm inner	Ø/mm outer	H/mm	€/PZ
FG 528/RV1	22	28	72	23,00

ENGINE CRANKSHAFT ROTATOR

Double gear
Models: Mercedes-Benz 6, 8, 10 cil.; MAN 12 cil.
Engine codes: 401, 404, 407, 409, 421, 424, 444, 427, 447



CODE	Drive	€/PZ
FG 197/MB1	1/2"	90,00

ENGINE CRANKSHAFT ROTATOR

Triple gear
Models: Mercedes-Benz Actros e Atego; MAN 5, 6, 8 engine



CODE	Drive	€/PZ
FG 197/MB2	1/2"	120,00



MAN

OIL FILTER WRENCH

Application: MAN 403, 463



CODE	Ø/mm inner	Points	□	€/PZ
FG 530/FO94	94	14	1/2"	70,50

GROOVE NUT SOCKET, INSIDE TAPS

Application: TGA front axle (V982L-01)



CODE	Ø/mm inner	Ø/mm outer	H/mm	€/PZ
FG 531/GA1	133	147,5	110	248,50

GROOVE NUT SOCKET, INSIDE TAPS

Application: MAN TGA 460 axles, V9-82L-01



CODE	Ø/mm inner	Ø/mm outer	H/mm	€/PZ
FG 531/GA2	133	147,5	155	330,00



FRONT AXLE NUT SOCKET WRENCH

Application: MAN and Mercedes-Benz



CODE	Ø/mm inner	Ø/mm outer	H/mm	€/PZ
FG 531/GA3	100,8	110	80,5	150,00

6 TEETH WRENCH FOR FRONT AXLE

Application: MAN 403, 463



CODE	Inner diameter mm	Outer diameter mm	H/mm	W/mm tooth	H/mm tooth	□	€/PZ
FG 531/GA4	76,5	87	95	13	11	3/4"	119,00

6 TEETH FRONT WHEEL AXLE NUT SOCKET

Application: MAN TGA.



CODE	Ø/mm inner	Ø/mm outer	H/mm	Drive	€/PZ
FG 531/GA5	88,5	97,5	80,5	3/4"	134,50

6 TEETH FRONT HYPOID AXLE NUT WRENCH

Application: MAN VW2, VW4, VW6.1-6.8



CODE	Ø/mm outer	H/mm	□	€/PZ
FG 531/GA6	84	100	1"	115,50

EXTENSION TUBE FOR REAR AXLE

Application: MAN TGA rear axle e.g. HY 1350



CODE	Thread	Ø/mm inner	Ø/mm outer	L/mm	€/PZ
FG 536/PR-100	M100X1,5	96	104,6	360	217,50

TRANSMISSION GROOVE NUT SOCKET



CODE	/mm inner	/mm outer	H/mm	□	€/PZ
FG 534/GA1	53,5	71,8	76	3/4"	92,50

FRONT WHEEL HUB EXTRACTOR



CODE	Ø/mm interno	Ø/mm esterno	€/PZ
FG 532/MA-1	50,1	153,7	343,00

FRONT WHEEL HUB EXTRACTOR



CODE	Ø/mm inner	Ø/mm outer	H/mm	€/PZ
FG 532/MA-2	100,2	115x1,5	93	250,00

FRONT WHEEL HUB EXTRACTOR

Application: 166 mm hole diameters



CODE	Ø/mm inner	H/mm	€/PZ
FG 532/MA-3	87,1	118,2	363,00

ENGINE CRANKSHAFT ROTATOR

Engine codes: D20..., D25..., D26..., D28...



CODE	Drive	€/PZ
FG 197/MA1	1/2"	95,00

VOLVO

OIL FILTER WRENCH

Applications:

S60 XC / S60 V60 (2011-) / S80 (2007-) / S90 V90 (2017-) / V40 (2013-) / V40 XC / V60 XC / V70 (2008-) / V70, XC70 (2008-) / XC60 / XC70 (2008-) / XC90 (2016-)



CODE	Ø/mm inner	Points	€/PZ
FG 540/F086	86	16	77,50

OIL FILTER WRENCH



CODE	Ø/mm inner	Points	□	€/PZ
FG 540/F0107-15	107	15	1/2"	63,00



OIL FILTER WRENCH

Applications: UD GH11, GH13 engines



CODE	Ø/mm inner	Points	□	€/PZ
FG 540/FO107-8	107	8	1/2"	44,00

REAR WHEEL SHOCK ABSORBER SPRING WASHER REMOVAL SOCKET

Socket profile flat oval



CODE	Ø/mm inner	Ø/mm outer	H/mm	□	€/PZ
FG 542/VO28.5	28,5	62	60	3/4"	75,50

FRONT WHEEL SHOCK ABSORBER SPRING WASHER REMOVAL SOCKET

Application range: VOLVO e.g. FL6 / F10 / F12



CODE	Ø/mm inner	Ø/mm outer	H/mm	Ø/mm studs	●/mm	€/PZ
FG 542/VO27	27	37	315	8,7	27	32,50

BRAKE SHOE ASSASEMBLY AND DISASSASEMBLY TOOL

Application: Volvo drum brakes with Z cam, e.g. N7 - N10 - N12 - F7 - F12 - F16 - FH12 - FH16 - FL7 - FL10 - ERF E/EC series.



CODE	€/PZ
FG 543/GF	194,00


TRANSMISSION OIL TUBE NUT WRENCH

Application: Volvo - FM series



CODE	Output profile	Output profile size mm	Drive	€/PZ
FG 544/TR74	esagonale / hexagonal	74	ottagonale 1/2" 1/2" octagonal	68,50


TRANSMISSION OUTPUT SHAFT OIL SEAL ASSEMBLY TOOL



CODE	€/PZ
FG 544/TA	195,50

HEXAGONAL SOCKET WRENCH FOR HUBS

Application: VOLVO / RENAULT /IVECO/FIAT



CODE	Output profile	Output profile size mm	H/mm	Drive	€/PZ
FG 545/L80	esagonale / hexagonal	80	175,5	1"	213,00
FG 545/L95	esagonale / hexagonal	95	175,5	1"	239,00

HEXAGONAL SOCKET WRENCH FOR HUBS



CODE	Ø/mm inner	Ø/mm outer	H/mm	□	€/PZ
FG 545/A80	80	100	55	3/4"	113,50
FG 545/A95	95	125	68	1"	172,50
FG 545/A105	105	135	68	1"	199,00

OCTAGONAL SOCKET WRENCH FOR HUBS



CODE	Ø/mm inner	Ø/mm outer	H/mm	□	€/PZ
FG 545/A115	115	137	81	3/4"	210,50

FAN BEARING BASE SOCKET WRENCH



CODE	Ø/mm inner	Ø/mm outer	H/mm	□	€/PZ
FG 546/GA1	53,8	72,8	46	3/4"	87,50

DIFFERENTIAL MAINSHAFT BEARING INSTALLER

Application: VOLVO FH / FM



CODE	€/PZ
FG 547/VO-AL1	207,00

REAR CRANKSHAFT OIL SEAL INSTALLER TOOL

Application: Volvo FM12 (420.430.440)



CODE	€/PZ
FG 548/PO-V	920,00

ENGINE CRANKSHAFT ROTATOR

Engine codes: D9A,D12,D16C



CODE	€/PZ
FG 197/V01	95,00

ENGINE CRANKSHAFT ROTATOR

Engine codes: MP8,MP10,(FH, D13A520)



CODE	Ø/mm	€/PZ
FG 197/V02	1/2", 46	77,00

FLYWHEEL TOOL

Applications: Renault Magnum



CODE	€/PZ
FG 197/V03	62,00

FLYWHEEL ROTATING TOOL

Engine codes: D7A; D7B; D7C



CODE	€/PZ
FG 197/V04	73,00



SCANIA

WRENCH FOR GEARBOX FLANGE



CODE	Ø/mm inner	Ø/mm outer	H/mm	□	€/PZ
FG 550/GA1	72,5	92	76	3/4"	110,00

FRONT WHEEL SHOCK ABSORBER SPRING WASHER SOCKET



CODE	Ø/mm inner	Ø/mm outer	H/mm	□	€/PZ
FG 551/SC28	28,5	54	50	3/4"	48,50
FG 551/SC34	34,5	74	50	3/4"	69,00
FG 552/SC34	34,5	63	50	3/4"	56,50

OCTAGONAL SOCKET WRENCH FOR FRONT AXLE NUTS



CODE	Ø/mm inner	Ø/mm outer	H/mm	●/mm	€/PZ
FG 554/A80	80,5	100,2	102,2	41	195,00

OCTAGONAL SOCKET WRENCH FOR FRONT AXLE NUTS



CODE	Ø/mm inner	Ø/mm outer	H/mm	□	€/PZ
FG 554/A83	83	103	74	1"	139,50

OCTAGONAL SOCKET WRENCH FOR FRONT AXLE NUTS



CODE	Ø/mm inner	Ø/mm outer	H/mm	□	€/PZ
FG 554/A95	95	118	84	3/4"	153,00

REAR WHEEL NUT SOCKET



CODE	Ø/mm inner	Ø/mm outer	H/mm	□	€/PZ
FG 554/A100	100	123	84	3/4"	195,00

GROOVE NUT SOCKET WRENCH WITH 8 STUDS

Application: for groove nut on Scania 420 axles



CODE	Ø/mm inner	Ø/mm outer	N. of external studs	Stud mm	H/mm	□	€/PZ
FG 554/A103	103	119	8	9,5	100	3/4"	204,50

TRANSMISSION GROOVE NUT SOCKET WRENCH

Application: SCANIA 310/320



CODE	Ø/mm inner	Ø/mm outer	H/mm	□	€/PZ
FG 555/GA1	63/64	81,7	65	3/4"	86,50

TRANSMISSION GROOVE NUT SOCKET WRENCH

Application: SCANIA 8-Speed BUS



CODE	Ø/mm inner	Ø/mm outer	H/mm	□	€/PZ
FG 555/GA2	59	78	76	3/4"	93,50

TRANSMISSION CLUTCH FRONT MAIN AXLE NUT SOCKET

Application: SCANIA truck with ten speeds automatic transmission



CODE	Ø/mm inner	Ø/mm outer	H/mm	□	€/PZ
FG 555/GA65	65,3	78,7	80	3/4"	69,00

CRANKSHAFT REAR OIL SEAL INSTALLER

Application: SCANIA 310/320



CODE	€/PZ
FG 556/PO-SC1	135,00

TRANSMISSION REAR OIL SEAL INSTALLER


Application: SCANIA transmission flange shafts on Transmission and rear axle



CODE	€/PZ
FG 556/PO-SC2	90,00

TRANSMISSION REAR OIL SEAL INSTALLER

Application: SCANIA (114) 340/360/380 truck



CODE	€/PZ
FG 556/PO-SC3	242,50

TRANSMISSION REAR OIL SEAL INSTALLER

Suitable for Seal size: Ø140 x Ø160 x 12L

Applications: SCANIA (114) 340/360/380, P.R series truck



CODE	€/PZ
FG 556/PO-SC4	262,00

VALVE SPRING COMPRESSOR

Application: SCANIA 340/ 360/ 380 truck

Screw: M10 x P1.5, 25L



CODE	€/PZ
FG 557/SC-V	148,00

INJECTOR BUSH REMOVER/INSTALLER TOOL

Application: SCANIA 113 114 engines



CODE	€/PZ
FG 557/SC-RI	519,50



ENGINE CRANKSHAFT ROTATOR

Engine codes: SCANIA after 1996



CODE	Drive	€/PZ
FG 197/SC1	1/2"	66,00

DAF

OIL FILTER WRENCH

Application: DAF(LF) 12/17 Tons (EURO4/5)



CODE	Ø/mm inner	Ø/mm outer	□	€/PZ
FG 560/FO92	92	10	1/2"	62,00

OIL SEAL INSTALLER TOOL

Oil seal size: Ø166 x Ø191 x 16L

Applications: DAF CF85 410/460. Euro 4 and Euro 5



CODE	€/PZ
FG 566/PO-D1	322,50

CRANSHAFT REAR OIL SEAL INSTALLER TOOL

Application: DAF 17 TONS (LF55); DAF 17 TONS (CF65)



CODE	€/PZ
FG 566/PO-D2	200,00

CRANKSHAFT FRONT OIL SEAL INSTALLER TOOL

Application: DAF (CF) 35-43 tons (Euro 4/5) truck



CODE	€/PZ
FG 566/PO-D3	360,00

ENGINE CRANKSHAFT ROTATOR

Engine codes: 65CF,75CF,85CF,95XF,CF75,CF85,F65,F75,F85,F95,XF95F95,XF95



CODE	Ø/mm	€/PZ
FG 197/DA1	24	88,00

ENGINE CRANKSHAFT ROTATOR

Engine codes: XF105 Euro5



CODE	Drive	€/PZ
FG 197/DA2	1/2"	68,00

SAF

AXLE NUT SOCKET FOR TRAILER AXLES



CODE	Ø/mm inner	Ø/mm outer	H/mm	●/mm	€/PZ
FG 570/SA-85	85	117	82	36	136,50

AXLE NUT SOCKET FOR TRAILER AXLES




CODE	Ø/mm inner	Ø/mm outer	H/mm	€/PZ
FG 570/SA-140	140	145	32/46	187,00

BPW

ROLLER BEARING AXLE NUT SOCKET WRENCH

Application: BPW 6,5~9 tons



CODE	Wrench size mm	Ø/mm outer	H/mm	€/PZ
FG 580/BP-65	64,5	84	51	90,00
FG 580/BP-80	80	107,8	65	139,50

ROLLER BEARING AXLE NUT SOCKET WRENCH

application: BPW 13~14 tons



CODE	Wrench size mm	Ø/mm outer	H/mm	€/PZ
FG 580/BP-85	85,05	116,9	70	129,00

ROLLER BEARING AXLE NUT HEXAGONAL SOCKET WRENCH

Application: BPW axle nuts (crown nuts) 16 tonne axles



CODE	Profile	Ø/mm inner	Ø/mm outer	H/mm	€/PZ
FG 582/BP-85	esagonale / hexagonal	85,3	110	84	145,00

SOCKET WRENCH FOR BPW REAR AXLE CAPS

Application: BPW 6.5~9 tons



CODE	Profile	Ø/mm inner	Ø/mm outer	H/mm	€/PZ
FG 582/BP-95	ovale / oval	95	114,7	70	170,00

REAR HUBCAP NUT OCTAGONAL SOCKET WRENCH

Application: BPW 12 tons



CODE	Ø/mm inner	Ø/mm outer	H/mm	€/PZ
FG 582/BP-109	109,1	128,9	94,3	197,50

HEXAGONA SOCKET WRENCH FOR BPW REAR AXLE CAPS



CODE	Profile	Ø/mm inner	Ø/mm outer	H/mm	€/PZ
FG 582/BP-100	esagonale / hexagonal	100	130	68	179,50

OCTAGONAL SOCKET WRENCH FOR BPW REAR AXLE CAPS



CODE	Profile	Ø/mm inner	Ø/mm outer	H/mm	€/PZ
FG 582/BP-110	ottagonale / 8-point	110	133	81	179,50



REAR AXLE CAPS SOCKET WRENCH

Application: BPW 12 tons



CODE	Ø/mm inner	Ø/mm outer	H/mm	●/mm	€/PZ
FG 582/BP-111	111	131,9	84,1	41	194,50

REAR AXLE CAPS SOCKET OCTAGONAL WRENCH

Application: BPW 16 tons



CODE	Ø/mm inner	Ø/mm outer	H/mm	●/mm	€/PZ
FG 582/BP-120	120,1	143	94,2	41	214,50

BRAKE LINKAGE ADJUSTER EXTRACTOR



CODE	a/mm	b/mm	c/mm	d/mm	●/mm	€/PZ
FG 584/BP-ES1	66	158	93,5	127	32	193,00

AXLE EXTRACTOR TOOL

Internal thread: M125 x 2.0

Application: BPW 12 t



CODE	Ø/mm inner	Ø/mm outer	H/mm	●/mm	€/PZ
FG 585/BP-MR125	93,1	M125X2,0	99,4	42,8	325,50

AXLE EXTRACTOR TOOL

Thread: M136X2,5

Application range: 16 tons truck



CODE	Ø/mm inner	Ø/mm outer	H/mm	●/mm	€/PZ
FG 585/BP-MR155	98	M155X3,0	98,5	49	325,50

AXLE EXTRACTOR TOOL

Internal thread: M125 x 2.0

Application: BPW ECO 10~12 tons



CODE	Ø/mm inner	Ø/mm outer	H/mm	●/mm	€/PZ
FG 585/BP-MR135	M135X2,0	150	120,3	43	343,00

AXLE EXTRACTOR TOOL

Thread: M136X2,5

Application: BPW ECO Plus 8~12 tons ,BPW ECO 10 tons



CODE	Ø/mm inner	Ø/mm outer	H/mm	●/mm	€/PZ
FG 585/BP-MR136	M136x2,5	150	120,3	43	343,00

UNIVERSAL

KIT OF CLUTCH CENTRING TOOLS

Centring cones:

- Ø 36-45mm
- Ø 42-52mm



CODE	€/PZ
FG 180/S6	220,00

HEAVY DUTY TRUCK U-JOINT PULLER (FORGED)

Application: Fits all spicer drivelines 1610, 1710, 1760, 1810, 1880 ; Spicer SPL 140, 170, and 250 "Life Series" ; Meritor (Rockwell) 16N, 17N, 18N, 1710 ; Meritor RPL 20 and 25 "Permalube" Series



CODE	€/PZ
FG 590/G0	191,50

JOINT PULLER



CODE	A/mm	B/mm	H/mm	Thread mm	€/PZ
FG 197/BP	60	39	155	M24x3.0	340,00

TORX AND XZN BRAKE CALIPER WRENCH



CODE	Internal square drive	Profile	Size	Application	€/PZ
FG 592/E18	3/4"	torx	E18	Man TGL/TGM	44,00
FG 592/E20	3/4"	torx	E20	Man TGL/TGM	46,50
FG 592/E24	3/4"	torx	E24	Man TGA/TGS/TGX	46,50
FG 592/M24	3/4"	poligonale/12-pt	24 mm	SAF	46,50
FG 592/M26	3/4"	poligonale/12-pt	26 mm	DAF XF/XF95/XF105/XF106	46,50

BRAKE CALIPER SOCKET WRENCH

Application: Volvo Peterbilt DAF Foden MAN Mercedes Scania BOVA plus BPW SAF Trailers



CODE	Profile	H/mm	□	€/PZ
FG 595/B11	11 punte/11-pt	26	3/8"	10,50

DRIER FILTER WRENCH

FG 197/F1: Ø 120-140mm

FG 197/F2: - Ø 125-145mm



CODE	Ø/mm	€/PZ
FG 197/F1	120-140	55,00
FG 197/F2	125-145	32,00

